## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(@ad<"20010109" or @rlad<"20010109") and ("head of line blockage" or (head adj "of" adj line adj block\$)) with avoid\$4	US- PGPUB; USPAT	OR	ON	2006/03/14 10:10
S2	3472	(@ad<"20010109" or @rlad<"20010109") and (head with line with block \$3)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:11
<b>S3</b>	127	(@ad<"20010109" or @rlad<"20010109") and (head with line with block \$3) and (priority with packet with (FIFO or buffer or queue))	US- PGPUB; USPAT	OR	ON	2006/03/14 10:12
S4	125	(@ad<"20010109" or @rlad<"20010109") and (head with line with block \$3) and (priority with packet with (FIFO or buffer or queue)) and input and output	US- PGPUB; USPAT	OR	ON	2006/03/14 10:12
S5	117	(@ad<"20010109" or @rlad<"20010109") and (head with line with block \$3) and (priority with packet with (FIFO or buffer or queue)) and (packet with order)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:13
S6	37	(@ad<"20010109" or @rlad<"20010109") and (head with line with block \$3) and (priority with packet with (FIFO or buffer or queue)) and (packet adj order)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:13
\$7	127	(@ad<"20010109" or @rlad<"20010109") and (head with line with block \$3) and (priority with packet with (FIFO or buffer or queue))	US- PGPUB; USPAT	OR	ON	2006/03/14 10:18
\$8	69	(@ad<"20010109" or @rlad<"20010109") and (head with line with block \$3) and (priority with packet with (FIFO))	US- PGPUB; USPAT	OR	ON	2006/08/21 09:01

S9	1	"00855578"	US- PGPUB; USPAT	OR	ON	2006/03/14 10:28
S10	0	"2002/00855578"	US- PGPUB; USPAT	OR	ON	2006/03/14 10:30
S11	0	"200200855578"	US- PGPUB; USPAT	OR	ON	2006/03/14 10:28
S12	0	20020085578A1	US- PGPUB; USPAT	OR	ON	2006/03/14 10:29
S13	0	"2002\00855578"	US- PGPUB; USPAT	OR	ON	2006/03/14 10:30
S14	0	"200200855578"	US- PGPUB; USPAT	OR	ON	2006/03/14 10:30
S15	1	"20020085578"	US- PGPUB; USPAT	OR	ON	2006/03/14 10:30
S16	1	"20020085578" and priority	US- PGPUB; USPAT	OR	ON	2006/03/14 10:32
S17	1	"20010050916" and priority	US- PGPUB; USPAT	OR	ON	2006/03/14 10:33
S18	6	(@ad<"20010109" or @rlad<"20010109") and (FIFO with priority with summary)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:35
S19	51	(@ad<"20010109" or @rlad<"20010109") and (FIFO with priority with list)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:35
S20	10	(@ad<"20010109" or @rlad<"20010109") and (FIFO with priority near list)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:38
S21	115	(@ad<"20010109" or @rlad<"20010109") and (determine with FIFO with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:38
S22	15	(@ad<"20010109" or @rlad<"20010109") and (determine with FIFO near priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:42
S23	2355	(@ad<"20010109" or @rlad<"20010109") and (crossbar adj switch)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:42

S24	0	(@ad<"20010109" or @rlad<"20010109") and (crossbar adj switch) and (deterimin\$3 adj priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:43
S25	0	(@ad<"20010109" or @rlad<"20010109") and (crossbar adj switch) and (deterimin\$3 with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:43
S26	395	(@ad<"20010109" or @rlad<"20010109") and (crossbar adj switch) and (determin\$3 with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:43
S27	130	(@ad<"20010109" or @rlad<"20010109") and (crossbar adj switch) and (determin\$3 adj priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:43
S28	28	(@ad<"20010109" or @rlad<"20010109") and (crossbar adj switch) and (determin\$3 adj priority with (buffer or queue or FIFO))	US- PGPUB; USPAT	OR	ON	2006/03/14 10:43
S29	6	(@ad<"20010109" or @rlad<"20010109") and (crossbar adj switch) and (determin\$3 adj priority with (buffer or queue or FIFO)) and (packet adj priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:53
S30	0	(@ad<"20010109" or @rlad<"20010109") and (crossbar adj switch) and (determin\$3 adj priority with (FIFO)) and (packet adj priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:48
S31	66	(@ad<"20010109" or @rlad<"20010109") and (select adj (fifo or queue or buffer) with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 10:54
S32	38	(@ad<"20010109" or @rlad<"20010109") and (select adj (fifo or queue or buffer) with priority) and ((queue or buffer or fifo) with order with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:01
S33	1	(@ad<"20010109" or @rlad<"20010109") and (select adj (fifo or queue or buffer)) with ((packet or cell or data) adj priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:02

S34	6	(@ad<"20010109" or @rlad<"20010109") and (select adj (fifo or queue or buffer)) with ((packet or cell or data) near priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:06
S35	5	(@ad<"20010109" or @rlad<"20010109") and ((select\$3 or choos\$3) adj (fifo or queue or buffer) with packet with highest with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:07
S36	6	(@ad<"20010109" or @rlad<"20010109") and ((select\$3 or choos\$3) adj (fifo or queue or buffer) with (packet or cell) with highest with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:13
S37	454	(@ad<"20010109" or @rlad<"20010109") and (priority with summary)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:13
S38	10	(@ad<"20010109" or @rlad<"20010109") and (priority adj summary)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:13
S39	137	(@ad<"20010109" or @rlad<"20010109") and (priority near2 summary)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:13
S40	1	(@ad<"20010109" or @rlad<"20010109") and (priority near2 summary with (queue or buffer or fifo))	US- PGPUB; USPAT	OR	ON	2006/03/14 11:14
S41	0	(@ad<"20010109" or @rlad<"20010109") and (priority near2 summary with (packets))	US- PGPUB; USPAT	OR	ON	2006/03/14 11:14
S42	100	(@ad<"20010109" or @rlad<"20010109") and (determin\$3 with (queue or fifo or buffer) with highest with priority with (packet or cell or data))	US- PGPUB; USPAT	OR	ON	2006/03/14 11:15
S43	30	(@ad<"20010109" or @rlad<"20010109") and (determin\$3 near (queue or fifo or buffer) with highest with priority with (packet or cell or data))	US- PGPUB; USPAT	OR	ON	2006/03/14 11:15

S44	35	(@ad<"20010109" or @rlad<"20010109") and (determin\$3 near2 (queue or fifo or buffer) with highest with priority with (packet or cell or data))	US- PGPUB; USPAT	OR	ON	2006/03/14 11:15
S45	29	(@ad<"20010109" or @rlad<"20010109") and (determin\$3 near2 (queue or fifo or buffer) with highest near priority with (packet or cell or data))	US- PGPUB; USPAT	OR		2006/03/14 11:45
S46	36	(@ad<"20010109" or @rlad<"20010109") and ((select\$3 or determin\$4) with (fifo) with highest with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:46
S47	3	(@ad<"20010109" or @rlad<"20010109") and ((select\$3 or determin\$4) with (fifo) with highest with priority) and (crossbar)	US- PGPUB; USPAT	OR	ON	2006/03/14 11:47
S48	36	(@ad<"20010109" or @rlad<"20010109") and ((select\$3 or determin\$4) with (fifo) with highest with priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 12:04
S49	185	(@ad<"20010109" or @rlad<"20010109") and ((list or order) with packet adj priorit\$3)	US- PGPUB; USPAT	OR	ON	2006/03/14 12:04
S50	43	(@ad<"20010109" or @rlad<"20010109") and ((list or order) with packet adj priorit\$3 with (queue or fifo or buffer))	US- PGPUB; USPAT	OR	ON	2006/03/14 12:04
S51	3	(@ad<"20010109" or @rlad<"20010109") and ((list or order) with packet adj priorit\$3 with (fifo))	US- PGPUB; USPAT	OR	ON	2006/03/14 12:06
S52	1	(@ad<"20010109" or @rlad<"20010109") and ((list or order) near packet near priorit\$3 with (fifo))	US- PGPUB; USPAT	OR	ON	2006/03/14 15:42
S53	5	(@ad<"20010109" or @rlad<"20010109") and (schedule with (queue or fifo or buffer) with packet near priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 15:43

S54	68	(@ad<"20010109" or @rlad<"20010109") and (schedul\$3 with (queue or fifo or buffer) with packet near priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 15:43
S55	19	(@ad<"20010109" or @rlad<"20010109") and (schedul\$3 near (queue or fifo or buffer) with packet near priority)	US- PGPUB; USPAT	OR	ON	2006/03/14 15:44
S56	1	"20020085578"	US- PGPUB; USPAT	OR	ON	2006/03/14 15:56
S57	137	(@ad<"20010109" or @rlad<"20010109") and (FIFO with correspon\$4 with input)	US- PGPUB; USPAT	OR	ON	2006/08/21 09:02
S58	42	(@ad<"20010109" or @rlad<"20010109") and (FIFO near2 correspon\$4 with input)	US- PGPUB; USPAT	OR	ON	2007/02/06 13:35
S59	1	"20020050916"	US- PGPUB; USPAT	OR	ON	2006/08/21 09:07
S60	1	"20010050916"	US- PGPUB; USPAT	OR	ON	2006/08/21 09:07
S61	0	(@ad<"20010109" or @rlad<"20010109") and (output with (FIFO or buffer or queue) near2 each near2 input)	US- PGPUB; USPAT	OR	ON	2007/02/06 13:35
S62	0	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) with (FIFO or buffer or queue) near2 each near2 (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:36
S63	334	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) with (FIFO or buffer or queue) near2 set near2 (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:36
S64	28	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) with set adj (FIFO or buffer or queue) near2 (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:39

S65	915973	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) with (FIFO or buffer or queue) adj each adj input (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:40
S66	0	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) with (FIFO or buffer or queue) adj each adj (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:41
S67	0	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) with (FIFO or buffer or queue) near2 each adj (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:42
S68	0	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) with (FIFO or buffer or queue) with each with (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:45
S69	0	(@ad<"20010109" or @rlad<"20010109") and ((FIFO or buffer or queue) near2 each adj (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:42
S70	0	(@ad<"20010109" or @rlad<"20010109") and ((FIFO or buffer or queue) near2 corresponding adj (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:43
S71	45035	(@ad<"20010109" or @rlad<"20010109") and ((FIFO or buffer or queue) near2 (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:43
S72	15596	(@ad<"20010109" or @rlad<"20010109") and (output near2 (FIFO or buffer or queue) near2 (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:44
S73	15642	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) near2 (FIFO or buffer or queue) near2 (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:44

S74	0	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) near2 (FIFO or buffer or queue) near2 (input or ingress) with each)	US- PGPUB; USPAT	OR	ON	2007/02/06 13:44
S75	1525	(@ad<"20010109" or @rlad<"20010109") and each	US- PGPUB; USPAT	OR	ON	2007/02/06 13:44
S76	95	(@ad<"20010109" or @rlad<"20010109") and ((output or egress) with different near2 (FIFO or buffer or queue) near2 (input or ingress))	US- PGPUB; USPAT	OR	ON	2007/02/06 13:50
S77	1	"6963576".pn.	US- PGPUB; USPAT	OR	ON	2007/02/06 13:50
S78	1	"5539729".pn.	US- PGPUB; USPAT	OR	ON	2008/05/02 08:09
S79	1	(determin\$3 with (buffer or queue or memory or FIFO) with priroity)	US- PGPUB; USPAT	OR	ON	2008/05/02 08:28
S80	6349	(determin\$3 with (buffer or queue or memory or FIFO) with priority)	US- PGPUB; USPAT	OR	ON	2008/05/02 08:29
S81	2282	(determin\$3 with (buffer or queue or memory or FIFO) near2 priority)	US- PGPUB; USPAT	OR	ON	2008/05/02 08:29
S82	314	(determin\$3 with (buffer or queue or memory or FIFO) near2 priority) with (highest or lowest)	US- PGPUB; USPAT	OR	ON	2008/05/02 08:29
S83	183	(receive\$3 with (buffer or queue or memory or FIFO) near2 priority) with (highest or lowest)	US- PGPUB; USPAT	OR	ON	2008/05/02 08:31
S84	235	(receiv\$3 with (buffer or queue or memory or FIFO) near2 priority) with (highest or lowest)	US- PGPUB; USPAT	OR	ON	2008/05/02 08:31
S85	883	(receiv\$3 with (buffer or queue or memory or FIFO) with priority) with (highest or lowest)	US- PGPUB; USPAT	OR	ON	2008/05/02 08:33
S86	811	(receiv\$3 with (buffer or queue or memory or FIFO) with priority near2 (highest or lowest))	US- PGPUB; USPAT	OR	ON	2008/05/02 08:34

S87	3020893	(receiv\$3 with (buffer or queue or memory or FIFO) with priority near2 (highest or lowest) naer2 (packet or cell or frame or data))	US- PGPUB; USPAT	OR	ON	2008/05/02 08:35
S88	132	(receiv\$3 with (buffer or queue or memory or FIFO) with priority near2 (highest or lowest) near2 (packet or cell or frame or data))	US- PGPUB; USPAT	OR	ON	2008/05/02 08:35

5/ 2/ 08 1:07:35 PM

C:\ Documents and Settings\ jmattis\ My Documents\ EAST\ Workspaces\ 10044765.wsp